



TÜRK LOYDU

Issue Date: 03.04.2000

Document No: ICR-02

Revision Date: 20.07.2017

Revision No: 16


Enforcement Date: 21.07.2017

Page No: 1/15

MANAGEMENT SYSTEMS CERTIFICATION RULES FOR USE OF THE CERTIFICATION MARK AND CERTIFICATE

The TÜRK LOYDU certification mark and certificate may be used in accordance with the following provisions:

- 1) Türk Loydu certification mark is composed of TÜRK LOYDU Management Systems (QMS, EMS, OHSAS, FSMS, CCMS) mark and accreditation mark of accreditation body and may be used by the companies whose Management Systems which have been audited, deemed successful, registered and for which a management system certificate has been issued by TÜRK LOYDU.
- 2) The original colours and dimensions of TÜRK LOYDU management systems (QMS, EMS, OHSAS, FSMS, CCMS) marks are given in the attachments.
- 3) TÜRK LOYDU certification mark may be used, for commercial purpose, only for the activities certified on stationary materials, advertisement materials, stationary with letterhead and computer softwares concerning certificates in accordance with the following terms:
 - The certification mark may be used in one single colour besides its original colour.
 - The use of the certification mark must not be misleading and it must not be confused with the conformity mark of the products.
 - The certification mark must not be used, being placed on the products, computer softwares or product packages, in a way to look as if it is a product approval mark.
 - Certification mark must not be used more than one on a material,
 - Accreditation mark and number must not be used on vehicles, buildings and flags (This item is applicable only for TURKAK accreditation),
 - Accreditation mark must not be used on business cards and cards.
 - Coordination with TÜRK LOYDU must be provided when the TÜRK LOYDU certification mark is being prepared to be printed.
 - The shape of the certification mark must not be modified by no means.
 - Accreditation mark must not be used separate from TÜRK LOYDU management systems mark.
- 4) TÜRK LOYDU certification mark could not be used on product. The statement “This Product was manufactured in a plant whose Quality Management System is certified by Türk Loydu as being in conformity with the standard” could be used on packaging of the product. Product packaging is considered as that which can be removed without the product disintegrating or being damaged. Accompanying information is considered as separately available or easily detachable. Type labels or identification plates are considered as part of the product.
- 5) TÜRK LOYDU certificate describes the certification scope for the company for which the certificate is issued and also describes the details of the scope and type of certificate, names and places of sections / department / areas concerning the scope.
- 6) Certificates may be copied as smaller or bigger than the original size provided that not changing the proportionality of the original size, keeping the certificate mark size not less than 20 mm and readable.
- 7) TÜRKAK Accreditation mark’s width shouldn’t be bigger than 30 mm if it’s used on a consumable materials not later than A4 size.
- 8) TÜRK LOYDU certificate and certification mark may only be used for activities related to the certificate scope. It must not be used for sections / departments, joint ventures and institutions or participations which are not stated in the certificate.
- 9) TÜRK LOYDU certification mark and number must not be used on the test, calibration or inspection reports and certificates. of certified companies even laboratory activities are included in scope of certificate. There shouldn’t be any reference to accreditation on such reports / certificates.
- 10) TÜRK LOYDU certification mark must never be used in such a way as could give the impression that TÜRK LOYDU and accreditation body accept any responsibility for the content of the document or for the activity concerned.

 TÜRK LOYDU	Issue Date: 03.04.2000	Document No: ICR-02
	Revision Date: 20.07.2017	Revision No: 16
	Enforcement Date: 21.07.2017	Page No: 2/15
MANAGEMENT SYSTEMS CERTIFICATION RULES FOR USE OF THE CERTIFICATION MARK AND CERTIFICATE		

- 11) In case that TÜRK LOYDU certificate and certification mark is used in a misleading and inappropriate manner, the user shall immediately prevent the misuse, take necessary measures to settle the problem and pay indemnity.
- 12) In case that TÜRK LOYDU certificate and certification mark is used in a misleading and inappropriate manner, TÜRK LOYDU has the right to prohibit immediately the usage of TÜRK LOYDU certificate and certification mark and start legal proceedings. TÜRK LOYDU informs the accreditation body immediately.
- 13) Two original certificates and one original set of TÜRK LOYDU certification mark (in electronic media) and accreditation mark (as electronic media) be sent to the company approved by TÜRK LOYDU to execute management system certification. The place and position of the TÜRK LOYDU management systems marks and accreditation mark shall not be changed in case used together.
- 14) The right of usage of TÜRK LOYDU certification mark ends immediately in case that the validity time is up, suspended up or withdrawn.
- 15) TÜRK LOYDU certificate is issued on behalf of juristic persons. The certificate and its mark may not be transferred to third parties.
- 16) **The IAF MLA Mark and TBDS Datamatrix must not be used by the customer.**



IAF MLA Mark



TÜRKAK Mark



TÜRKAK TBDS Datamatrix

- 17) The certified client shall:
 - conform to the requirements of the certification body when making reference to its certification status in communication media such as the internet, brochures or advertising, or other documents,
 - not make or permit any misleading statement regarding its certification,
 - not use or permit the use of a certification document or any part thereof in a misleading manner,
 - upon withdrawal of its certification, discontinues its use of all advertising matter that contains a reference to certification, as directed by the certification body,
 - amend all advertising matter when the scope of certification has been reduced,
 - not allow reference to its management system certification to be used in such a way as to imply that the certification body certifies a product (including service) or process,
 - not imply that the certification applies to activities and sites that are outside the scope of certification,
 - not use its certification in such a manner that would bring the certification body and/or certification system into disrepute and lose public trust.

Please contact to TÜRK LOYDU in case that there may exist any points which are concerning the above-mentioned issues or which are not clear enough.

ATTACHMENTS :

- 1) TÜRK LOYDU QMS mark
- 2) Combination of TÜRK LOYDU QMS mark and TÜRKAK's accreditation mark
- 3) TÜRK LOYDU EMS mark
- 4) TÜRK LOYDU OHSAS mark



TÜRK LOYDU

Issue Date: 03.04.2000

Document No: ICR-02

Revision Date: 20.07.2017


Revision No: 16

Enforcement Date: 21.07.2017

Page No: 3/15

MANAGEMENT SYSTEMS CERTIFICATION
RULES FOR USE OF THE CERTIFICATION MARK AND CERTIFICATE

- 5) TÜRK LOYDU ISMS mark
- 6) TÜRK LOYDU CSMS Mark
- 7) TÜRK LOYDU FSMS mark
- 8) TÜRK LOYDU EnMS Mark
- 9) TÜRK LOYDU Integrated Management System Mark
- 10) TÜRK LOYDU ISM Mark
- 11) TÜRK LOYDU ISPS Mark
- 12) TÜRK LOYDU MLC Mark


 TÜRK LOYDU	Issue Date: 03.04.2000	Document No: ICR-02
	Revision Date: 20.07.2017	Revision No: 16
	Enforcement Date: 21.07.2017	Page No: 4/15
MANAGEMENT SYSTEMS CERTIFICATION RULES FOR USE OF THE CERTIFICATION MARK AND CERTIFICATE		

ATTACHMENT-1
TÜRK LOYDU QMS MARK



TÜRK LOYDU QMS MARK :

QMS text and mark covering TÜRK LOYDU logo : Red (Pantone 200C)
 Rest : Blue (Pantone 286C)
 Dimensions : See figure above

 TÜRK LOYDU	Issue Date: 03.04.2000	Document No: ICR-02
	Revision Date: 20.07.2017	Revision No: 16
	Enforcement Date: 21.07.2017	Page No: 5/15
MANAGEMENT SYSTEMS CERTIFICATION RULES FOR USE OF THE CERTIFICATION MARK AND CERTIFICATE		

ATTACHMENT-2

COMBINATION OF TÜRK LOYDU QMS MARK AND TURKAK'S ACCREDITATION MARK




TÜRK LOYDU QMS MARK :

QMS text and mark covering TÜRK LOYDU logo : Red (Pantone 200C)
Rest : Blue (Pantone 286C)
Dimensions : See figure above

TURKAK'S ACCREDITATION MARK :

See: www.turkak.org.tr / R 10.06

Explanation: Since TÜRK LOYDU QMS mark and TURKAK's accreditation mark are used together, must only be used in the form of settlement given in the figure above.

 TÜRK LOYDU	Issue Date: 03.04.2000	Document No: ICR-02
	Revision Date: 20.07.2017	Revision No: 16
	Enforcement Date: 21.07.2017	Page No: 6/15
MANAGEMENT SYSTEMS CERTIFICATION RULES FOR USE OF THE CERTIFICATION MARK AND CERTIFICATE		

ATTACHMENT-3
TÜRK LOYDU EMS MARK




TÜRK LOYDU EMS MARK :

EMS text and mark covering TÜRK LOYDU logo : Green (Pantone 334)
Rest : Blue (Pantone 286C)
Dimensions : See figure (Attachment-1)

TURKAK'S ACCREDITATION MARK :

See: www.turkak.org.tr / R 10.06

Certification mark should be used with TURKAK accreditation mark as the arrangement shown in Attachment-2

 TÜRK LOYDU	Issue Date: 03.04.2000	Document No: ICR-02
	Revision Date: 20.07.2017	Revision No: 16
	Enforcement Date: 21.07.2017	Page No: 7/15
MANAGEMENT SYSTEMS CERTIFICATION RULES FOR USE OF THE CERTIFICATION MARK AND CERTIFICATE		

ATTACHMENT -4
TÜRK LOYDU OHSAS MARK




TÜRK LOYDU OHSAS MARK :

OHSAS text and mark covering TÜRK LOYDU logo : Orange (Pantone 1595C)

Rest : Blue (Pantone 286C)

Dimensions : See figure (Attachment-1)

 TÜRK LOYDU	Issue Date: 03.04.2000	Document No: ICR-02
	Revision Date: 20.07.2017	Revision No: 16
	Enforcement Date: 21.07.2017	Page No: 8/15
MANAGEMENT SYSTEMS CERTIFICATION RULES FOR USE OF THE CERTIFICATION MARK AND CERTIFICATE		

ATTACHMENT -5
TÜRK LOYDU ISMS MARK




TÜRK LOYDU ISMS MARK:

Colour : Blue (Pantone 286C)
Dimensions : See figure (Attachment-1)

TURKAK'S ACCREDITATION MARK :

See: www.turkak.org.tr / R 10.06

Certification mark should be used with TURKAK accreditation mark as the arrangement shown in Attachment-2


 TÜRK LOYDU	Issue Date: 03.04.2000	Document No: ICR-02
	Revision Date: 20.07.2017	Revision No: 16
	Enforcement Date: 21.07.2017	Page No: 9/15
MANAGEMENT SYSTEMS CERTIFICATION RULES FOR USE OF THE CERTIFICATION MARK AND CERTIFICATE		

ATTACHMENT -6
TÜRK LOYDU CSMS MARK



TÜRK LOYDU CSMS MARK:

CSMS text and mark covering TÜRK LOYDU logo : Grey (Pantone 8180 C)
Rest : Blue (Pantone 286C)
Dimensions : See figure (Attachment-1)


 TÜRK LOYDU	Issue Date: 03.04.2000	Document No: ICR-02
	Revision Date: 20.07.2017	Revision No: 16
	Enforcement Date: 21.07.2017	Page No: 10/15
MANAGEMENT SYSTEMS CERTIFICATION RULES FOR USE OF THE CERTIFICATION MARK AND CERTIFICATE		

ATTACHMENT -7
TÜRK LOYDU FSMS MARK



TÜRK LOYDU FSMS MARK:

- FSMS text and mark covering TÜRK LOYDU logo : Purple (Pantone 260C)
- Rest : Blue (Pantone 286C)
- Dimensions : See figure (Attachment-1)


 TÜRK LOYDU	Issue Date: 03.04.2000	Document No: ICR-02
	Revision Date: 20.07.2017	Revision No: 16
	Enforcement Date: 21.07.2017	Page No: 11/15
MANAGEMENT SYSTEMS CERTIFICATION RULES FOR USE OF THE CERTIFICATION MARK AND CERTIFICATE		

ATTACHMENT -8
TÜRK LOYDU EnMS MARK



TÜRK LOYDU EnMS MARK :

- EMS text and mark covering TÜRK LOYDU logo : Green (Pantone 334)
- Rest : Blue (Pantone 286C)
- Dimensions : See figure (Attachment-1)

 TÜRK LOYDU	Issue Date: 03.04.2000	Document No: ICR-02
	Revision Date: 20.07.2017	Revision No: 16
	Enforcement Date: 21.07.2017	Page No: 12/15
MANAGEMENT SYSTEMS CERTIFICATION RULES FOR USE OF THE CERTIFICATION MARK AND CERTIFICATE		

ATTACHMENT -9

TÜRK LOYDU INTEGRATED MANAGEMENT SYSTEM MARK




TÜRK LOYDU INTEGRATED MARK :

INTEGRATED text and mark covering TÜRK LOYDU logo : Blue (Pantone process cyan)

Rest : Blue (Pantone 286C)

Dimensions : See figure (Attachment-1)


 TÜRK LOYDU	Issue Date: 03.04.2000	Document No: ICR-02
	Revision Date: 20.07.2017	Revision No: 16
	Enforcement Date: 21.07.2017	Page No: 13/15
MANAGEMENT SYSTEMS CERTIFICATION RULES FOR USE OF THE CERTIFICATION MARK AND CERTIFICATE		

ATTACHMENT -10
TÜRK LOYDU ISM MARK



TÜRK LOYDU ISM MARK:

Colour : Blue (Pantone 286C)
Dimensions : See figure (Attachment-1)


 TÜRK LOYDU	Issue Date: 03.04.2000	Document No: ICR-02
	Revision Date: 20.07.2017	Revision No: 16
	Enforcement Date: 21.07.2017	Page No: 14/15
MANAGEMENT SYSTEMS CERTIFICATION RULES FOR USE OF THE CERTIFICATION MARK AND CERTIFICATE		

ATTACHMENT -11
TÜRK LOYDU ISPS MARK



TÜRK LOYDU ISPS MARK:

Colour : Blue (Pantone 286C)
Dimensions : See figure (Attachment-1)

 TÜRK LOYDU	Issue Date: 03.04.2000	Document No: ICR-02
	Revision Date: 20.07.2017	Revision No: 16
	Enforcement Date: 21.07.2017	Page No: 15/15
MANAGEMENT SYSTEMS CERTIFICATION RULES FOR USE OF THE CERTIFICATION MARK AND CERTIFICATE		

ATTACHMENT -12
TÜRK LOYDU MLC MARK



TÜRK LOYDU MLC MARK:

Colour : Blue (Pantone 286C)
Dimensions : See figure (Attachment-1)